







OUTPUT SHAFT COUPLING & PROPELLER COUPLING DIMENSION







INPUT COUPLING DIMENSION




[BY PASS SYSTEM]

DMT561HL MARINE TRSANMISSION SPECIFICATION		
GEAR RATIO	3.02, 3.28, 3.56, 4.07, 4.48, 4.95	
TOTAL WEIGHT	APPROX. 977 Kg (DRY, EXCEPT FOR PROPELLER COUPLING)	
OIL CAPACITY	APPROX. 19 L	
OIL VISCOSITY	SAE # 30	
OIL PRESSURE	1.96 ~ 2.54 MPa	CLUTCH OIL
DIRECTION OF ROTATION IN FORWARD	INPUT	C.C.W VIEWED FROM THE STERN
	OUTPUT	C.W VIEWED FROM THE STERN
OIL CHANGE INTERVAL	THE FIRST 100HOURS OF INITIAL OPERATION	
	AND EVERY 1000HOURS THEREAFTER	
SHIFTING LIMIT	UNDER 50% OF THE RATED ENGINE SPEED	
OIL COOLER	WATER FLOW 90 ~ 120 L/m	
	TEMPERATURE OF COOLING WATER	MAX 32°C
OPERATING TORQUE OF SHIFTING LEVER		UNDER 2.94Nm



REMARK

- 1.HOUSING : SAE# 0
2.DRIVING RING : SAE 14”
3.COUPLING TYPE
CENTA FLEX COUPLING : 77318803



BRACKET DIMENSION

허용 공차 TOLERANCE ON 分數 FRACTIONS 소수 DECIMALS 각도 ANGLES ± ————— ± ————— ± —————		번호 NO. 품 PART NO. 품 PART NAME 명		개 수 QTY	재 질 MATERIAL	규 SIZE	비 고 REMARKS
1 초과 4 이하 ± 0.3 ± 0.1 ± 0.05 4 16 ± 0.5 ± 0.2 ± 0.07 16 63 ± 0.7 ± 0.3 ± 0.1 63 250 ± 1.2 ± 0.5 ± 0.2 250 1000 ± 2.0 ± 0.8 ± 0.3		재 질 MATERIAL  작성 DATE 2018.04.16 척 도 SCALE 1/1		형 식 TYPE DMT561HL		원 도 번 ORIGINAL DWG. NO.	
		승인 APPROVED BY JK.Kim 검토 CHECKED BY KS.Han 제도 DRAWN GH.Park 설계 DESIGNED		품 명 NAME MARINE TRANSMISSION		도 번 DWG. NO. 56100GHA~F-014CFR 개정 (REV.) 000	
1000 2500 ± 2.0 ± 0.8 ± 0.3		 D-I INDUSTRIAL		크 기 SIZE	A 0	코 드 번 호 CODE ID. NO.	